


FX3GE

MELSEC Compact PLC

All-in-one standard
including analog and network features



IMPROVED 
COMMUNICATION

Built-in Ethernet

FLEXIBLE 
DESIGN

2 analog input and 1 analog output channels embedded


REMOTE 
CONTROL

Data monitoring via web browser


COST-EFFECTIVE 

Excellent price-performance ratio

The versatile compact PLC



Flow control application in the food industry



Built-in Ethernet port

The FX3GE sets new standards

The FX3GE Series is the most versatile compact PLC from Mitsubishi Electric and introduces yet another top model to the FX3 range. In addition to the powerful functions of the FX3G series, the FX3GE also boasts integral analog inputs/outputs and Ethernet connectivity. Other features include an RS422 interface and a USB programming port. The FX3GE therefore sets new class standards for compact PLCs; it provides excellent value for money, and is ideally suited for many applications. Typical fields of use include the foodstuffs industry, processing machines, packaging technology, pumps and refrigeration systems.



Monitoring via web interface


More functionality

For processing analog values, the FX3GE comes as standard with two analog inputs and one analog output, each having a resolution of 12 bits (0–4000). The FX3GE also features an Ethernet port with a transmission rate of 100/10 Mbit/s. The Ethernet port is ideal for programming and monitoring and for making online modifications. It also enables the unit to be connected to graphical operating panels (HMI), such as Mitsubishi Electric's GOT Series. With this Ethernet port, the FX3GE also provides a facility for monitoring process values using a web browser. The PLC can therefore be maintained and monitored regardless of where the FX3GE is installed. Appropriate access rights can be assigned using different password levels.




Mitsubishi Electric Corporation Himeji Works is a factory certified for ISO14001 (standards for environmental management systems) and ISO9001 (standards for quality assurance management systems)






Smooth production control required for wood cutting machines



Analog data management for injection molding machines




Label printing machines with network functionality

Flexible expansion options

FX3GE base units are available with 24 or 40 inputs/outputs and can be easily expanded. The simplest way of expanding the units is by means of digital or analog expansion adapters or communications adapters which can be fitted directly to the controller. These adapters are extremely easy to fit in the base unit and provide a cost-effective means of achieving additional capacity without taking up more space.

Almost all expansion units for the FX3G, FX3U and FX2N can be used. Expansion modules can be fitted to the right of the controller, and adapter modules from the FX3U range can be connected to the left of the PLC. Analog signals and signals from temperature sensors can be measured straightforwardly and quickly with the help of these adapter modules.



Various expansion and communications options

Extensive communications options

The FX3GE provides a number of options for communication and connection to various networks. As well as the integral Ethernet interface, the FX3GE supports standard serial communications solutions via RS422.


Furthermore, all open networks commonly used in the automation industry, such as CC-Link, CANopen or Profibus DP, can be accommodated by means of appropriate expansion options. A PC or notebook can be conveniently connected using the integral USB port, thus enabling programs to be transmitted and monitored at high speed.

Specifications

| Specifications | FX3GE-24MR/ES | FX3GE-40MR/ES | |
|---------------------|--|---|---------------------|
| I/O points | 256 total (combined local and CC-Link remote I/O) | | |
| Address range | Max. 128 direct addressing and max. 128 remote I/O | | |
| Power supply | 100–240 V AC (+10 %/-15 %), 50/60 Hz | | |
| Program memory | 32,000 steps EEPROM (internal), exchangeable EEPROM memory cassette with loader function | | |
| Instruction Time | 0.21 µs or 0.42 µs/contact instruction | | |
| Integrated inputs | Number of inputs | 2 analog/14 digital | 2 analog/24 digital |
| | Digital input type | 24 V DC (±10 %), sink/source selectable | |
| | Analog input range | Voltage input: 0 V to 10 V DC, Current input: 4mA to 20mA DC | |
| | Analog resolution | Voltage input: 2.5 mV (10 V/4000), Current input: 5 µA (16 mA/3200) | |
| Integrated outputs | Number of outputs | 1 analog/10 digital | 1 analog/16 digital |
| | Switching voltage | Max. 240 V AC, max. 30 V DC | |
| | Digital output type | Relay | |
| | Max. load relay output | 2 A per output, max. 8 A per group with 4 outputs | |
| | Analog output range | Voltage output: 0 V to 10 V DC, Current output: 4 mA to 20 mA DC | |
| High-speed counters | Analog output resolution | Voltage output: 2.5 mV(10V/4000), Current output: 4 µA(16 mA/4000) | |
| | Number of counters | 21 total, with 16 1-phase (C235–C250) and five 2-phase (C251–C255) | |
| | Counting range | -2,147,483,648 to 2,147,483,647 | |
| Ethernet | Data transmission speed | 100 Mbps/10 Mbps | |
| | Communication method | Full-duplex/Half-duplex | |
| | Transmission method | Base band | |
| | Maximum segment length | 100 m | |
| Environment | 0–55 °C ambient temperature; 5–95 % relative humidity | | |

Dimensions

| PLC | X | X1 |
|------------|--------|--------|
| FX3GE-24M□ | 130 mm | 105 mm |
| FX3GE-40M□ | 175 mm | 150 mm |



Mounting hole pitches

All dimensions in mm

European Offices

| | | | |
|---|------------|---|--------|
| Mitsubishi Electric Europe B.V. Gothaer Straße 8 D-40880 Ratingen Phone: +49 (0)2102 / 486-0 | Germany | Mitsubishi Electric Europe B.V. 52, bld. 3 Kosmodamianskaya nab 8 floor RU-115054 Moscow Phone: +7 495 / 721 2070 | Russia |
| Mitsubishi Electric Europe B.V. Radlická 751/13e Avenir Business Park CZ-158 00 Praha 5 Phone: +420 251 551 470 | Czech Rep. | Mitsubishi Electric Europe B.V. Carretera de Rubí 76-80 Apdo. 420 E-08190 Sant Cugat del Valles (Barcelona) Phone: +34 (0) 93 / 5653131 | Spain |
| Mitsubishi Electric Europe B.V. 25, Boulevard des Bouvets F-92741 Nanterre Cedex Phone: +33 (0)1 / 55 68 55 68 | France | Mitsubishi Electric Europe B.V. (Scandinavia) Fjellvegøen 8 SE-22736 Lund Phone: +46 (0) 8 625 10 00 | Sweden |
| Mitsubishi Electric Europe B.V. Vale Colleoni 7 Palazzo Sirio I-20864 Agrate Brianza (MB) Phone: +39 039 / 60 53 1 | Italy | Mitsubishi Electric Turkey Elektrik Ürünleri A.Ş. Şerifali Mahallesi Nutuk Sokak No:5 TR-34775 Ümraniye-İSTANBUL Phone: +90 (0)216 / 526 39 90 | Turkey |
| Mitsubishi Electric Europe B.V. Westgate Business Park, Ballymount IRL-Dublin 24 Phone: +353 (0)1 4198800 | Ireland | Mitsubishi Electric Europe B.V. Travellers Lane UK-Hatfield, Herts. AL10 8XB Phone: +44 (0)1707 / 28 87 80 | UK |
| Mitsubishi Electric Europe B.V. ul. Krakowska 50 PL-32-083 Balice Phone: +48 (0) 12 630 47 00 | Poland | Mitsubishi Electric Europe B.V. Dubai Silicon Oasis United Arab Emirates - Dubai Phone: +971 4 3724716 | UAE |

Representatives

| | | | | | | | | | |
|---|--------------------|--|------------|--|-------------|---|-------------|--|--------------|
| GEVA Wiener Straße 89 A-2500 Baden Phone: +43 (0)2252 / 85 55 20 | Austria | Beijer Electronics A/S Lykkegardsvej 17 DK-4000 Roskilde Phone: +45 (0)46 / 75 76 66 | Denmark | Beijer Electronics SIA Ritaušas iela 23 LV-1058 Riga Phone: +371 (0)6 / 784 2280 | Latvia | Sirius Trading & Services Aleea Lacul Morii Nr. 3 RO-060841 Bucuresti, Sector 6 Phone: +40 (0)2 / 235 98 548 | Romania | I.C. SYSTEMS Ltd. 23 Al-Saad-Al-Alee St. EG-Sarayut, Maadi, Cairo Phone: +20 (0) 2 / 235 98 548 | Egypt |
| OOO TECHNIKON Prospect Nezavisimosti 177-9 BY-220125 Minsk Phone: +375 (0)17 / 393 1177 | Belarus | HANS FOLSGAARD A/S Theilgaardsv Torv 1 DK-4600 Køge Phone: +45 4320 8600 | Denmark | Beijer Electronics UAB Goštautu g. 3 LT-48324 Kaunas Phone: +370 37 262707 | Lithuania | INEA SR d.o.o. Ul. Karadordjeva 12/217 SER-11300 Smederevo Phone: +381 (0)64 / 68 55 187 | Serbia | GIRIT CELADON Ltd. 12 Haomanut Street IL-42505 Netanya Phone: +972 (0)9 / 863 39 80 | Israel |
| ESCO DRIVES Culliganlaan 3 BE-1831 Diegem Phone: +32 (0)2 / 717 64 60 | Belgium | Beijer Electronics Eesti OÜ Pärnu mnt.160i EE-11317 Tallinn Phone: +372 (0)6 / 51 81 40 | Estonia | ALFATRADE Ltd. 99, Paola Hill Malta-Paola PLA 1702 Phone: +356 (0)21 / 697 816 | Malta | SIMP SK Jána Traian 1671 SK-911 01 Trenčín Phone: +41 (0)32 743 0472 | Slovakia | CEG LIBAN Cebaco Center/Block A Autostrade DORA Lebanon-Beirut Phone: +961 (0)1 / 240 445 | Lebanon |
| KONING & HARTMAN B.V. Woluwelaan 31 BE-1800 Vilvoorde Phone: +32 (0)2 / 257 02 40 | Belgium | Beijer Electronics OY Vanha Nurmijärventie 62 FIN-01670 Vantaa Phone: +358 (0)207 / 463 500 | Finland | INTEHISIS SRL bld. Traian 23/1 MD-2060 Kishinev Phone: +373 (0)22 / 66 4242 | Moldova | INEA RBT d.o.o. Stegne 11 SI-1000 Ljubljana Phone: +386 (0)1 / 513 8116 | Slovenia | ADROIT TECHNOLOGIES 20 Waterford Office Park 189 Witkoppen Road ZA-Fourways Phone: +27 (0)11 / 658 8100 | South Africa |
| INEA RBT d.o.o. Stegne 11 SI-1000 Ljubljana Phone: +386 (0)1 / 513 8116 | Bosnia and Herzeg. | PROVENDOR OY Teljänkatu 8 A3 FIN-28130 Pori Phone: +358 (0) 2 / 522 3300 | Finland | HIFLEX AUTOM. B.V. Wolwevestraat 22 NL-2984 CD Ridderkerk Phone: +31 (0)180 / 46 60 04 | Netherlands | Beijer Electronics Automation AB Box 426 SE-20124 Malmö Phone: +46 (0)40 / 35 86 00 | Sweden | | |
| AKHNATON 4, Andrei Lipachev Blvd., P.O. Box 21 BG-1756 Sofia Phone: +359 (0)2 / 817 6000 | Bulgaria | UTECO A.B.E.E. 5, Mavrogenou Str. GR-18542 Piraeus Phone: +30 (0)211 / 1206-900 | Greece | KONING & HARTMAN B.V. Haarlerbergweg 21-23 NL-1101 CH Amsterdam Phone: +31 (0)20 / 587 76 00 | Netherlands | OMNI RAY AG Im Schörlis CH-8600 Dübendorf Phone: +41 (0)44 / 802 28 80 | Switzerland | | |
| INEA CR Losinjka 4 a HR-10000 Zagreb Phone: +385 (0)1 / 36 940 -01/-02/-03 | Croatia | MELTRADE Kft. Fertő utca 14, HU-1107 Budapest Phone: +36 (0)1 / 431-9726 | Hungary | Beijer Electronics AS Postboks 487 NO-3002 Drammen Phone: +47 (0)32 / 24 30 00 | Norway | OOO "CSC-AUTOMATION" 4-B, M. Raskovoy St. UA-02660 Kiev Phone: +380 (0)44 / 494 33 44 | Ukraine | | |
| AutoCont C.S. S.R.O. Kafkova 1853/3 CZ-702 00 Ostrava 2 Phone: +420 595 691 150 | Czech Republic | T00 Kazpromavtomatika Ul. Zhambyla 28 KAZ-100017 Karaganda Phone: +7 7212 / 50 10 00 | Kazakhstan | Fonseca S.A. R. João Francisco do Casal 87/89 PT-3801-997 Aveiro, Esqueira Phone: +351 (0)234 / 303 900 | Portugal | | | | |



Mitsubishi Electric Europe B.V. / FA - European Business Group / Gothaer Straße 8 / D-40880 Ratingen / Germany / Tel.: +49(0)2102-4860 / Fax: +49(0)2102-4861120 / info@mitsubishi-automation.com / https://eu3a.mitsubishielectric.com

Art. no. 272708-A / 01.2014 / Specifications subject to change / All trademarks and copyrights acknowledged.

