


smartRTU

Remote Terminal Unit Based Monitoring and Control

Introducing Mitsubishi Electric's smartRTU Reliable control & surveillance of remote assets



Monitor your assets in realtime



Reliable Store-and-Forward of your data



Integration of network data into business systems




Small to large sites – tens to many thousands of I/Os

Secure management of remote assets and infrastructure



Monitor the condition of your assets in real time

Configure the smartRTU to your application size




MELSEC System Q: 32 – 8192 I/O points



MELSEC L Series:
24 – 4096 I/O points



FX: 14 – 384 I/O points




ME-RTU Gateway

Mitsubishi Electric PLC + RTU gateway = smartRTU to match your needs

Mitsubishi Electric's smartRTU is available in 3 variants, depending on the size and type of application – use FX-PLC for small, L-PLC for medium and Q-PLCs for large redundancy applications.

Communicate securely to SCADA systems, the smartRTU addresses requirements for 100% reliable remote surveillance and control of distributed assets, even in extreme climates. With powerful functions like diagnostics, alarm and event-storage and time trend data buffering, it meets the challenges of managing massively distributed assets such as data security, interfacing issues, data continuity and reliable communications.

Mitsubishi Electric's meets these demands with the smartRTU. It supports protocols such as DNP3 and IEC 60870. The smartRTU combines the reliability and robustness of our standard PLC technology with a smart communication gateway, the ME-RTU gateway. Depending on the size and complexity of the application, select the required smartRTU power, pairing the ME-RTU with either an FX-, L-, or Q-Series PLC.



Monitor the condition of your assets in real time

Your benefits

Mitsubishi Electric’s smartRTU combines the needs of a large number of industries into a single device that is simpler than conventional RTUs, yet provides powerful capabilities that can be easily deployed and administered, even by staff with low skill levels. The smartRTU is scalable from a handful of sites to many hundreds with remote configuration management.

The Mitsubishi Electric smartRTU:

- Minimizes your engineering costs through central engineering
- Deployable in brownfield applications due to multiple fieldbus support
- Copes with demands of small up to large sites
- Very low power consumption
- Stores and forwards your data by an embedded historian that allows time-stamped event logging and data sampling for extended periods of time
- Communicates your data-packets via hacker proof SSL-encrypted VPN tunnels

Water and Waste-water industry:

- Reliable collection of your data in your water distribution and collection stations
- Complete surveillance for pump networks, wells, booster and filter stations, holding ponds, tanks, flow meters, etc.
- Integration of water network data into corporate and business systems
- Manpower savings with even larger networks
- Redundant, hardened, cyber-secure communications

Oil & Gas industry:

- Optimum Oil and Gas well field performance
- Management of real-time pipeline operations
- AGA-grade fiscal metering/custody transfer calculations for pipeline operators and customers can be made available

Power Distribution industry:

- Robust, secure substation automation
- Integration of legacy equipment as well as latest generation IEDs
- Fast fault localisation and protection
- Smart grid ready transmission and distribution networks

Infrastructure & Management:

- High reliability and availability, remote road, rail, waterway and tunnel management
- Integration of remote sensors, actuators and Closed Circuit Television (CCTV), along with variable traffic signage
- Higher infrastructure utilisation factors, safety and performance

Specifications

Function	Specification	Supplementary Information			
I/O capacity	smartRTU – FX3 CPU; 14 – 384 max SmartRTU – L CPU; 24 – 4096 max SmartRTU – Q CPU; 32 – 8192 max	Controllable I/Os			
Power Consumption	smartRTU – FX: 12W smartRTU – L: 17W smartRTU – Q: 14W	16 digital I/O version (8xDI, 8xDO) 24 digital I/O version (16xDI, 8xDO) 32 digital I/O version (16xDI, 16xDO)			
Analog I/Os	Input: Output:	0-5V; 0-10V; -10V-10V; TC/RTD; 0/4-20mA 0-5V; 0-10V; -10V-10V; 0/4-20mA			
Digital I/Os	Input: Output:	Voltage: 24VDC Transistor: sink or source (5 ~ 24 VDC), Relay (up to 240 VAC)			
Additional I/Os	Turbine meter counters (Input): Pulse output (Gate / Servo Positioning Modules):	<ul style="list-style-type: none"> Signal levels = 5, 12, 24VDC, differential line driver inputs Frequencies: 50Hz – 200kHz ranges available 10 ~ 100,000 pulse/sec outputs 			
Communication channels	Cellular network (GPRS, EDGE) – Quad-Band 850 / 900 / 1800 / 1900 MHz)	<ul style="list-style-type: none"> Via built-in cellular transmitter/receiver SMA antenna connector User-provided SIM Card with data contract / APN from local cellular network provider 			
	Ethernet (10/100 Mbps)	RJ45 connector to, for example, corporate WAN (IEEE 802.3), xDSL (ITU G.992.x) or PLC (Power Line Communication) WAN (IEEE 1901) ①			
	Serial	Via USB port plus USB / serial converter to an external Radio, PSTN or satellite modem			
Communication protocols (host-side)	DNP3 (IEEE 1815) IEC 60870-5-101 IEC 60870-5-104	Yes (Level 2 Slave) Yes (Slave) Yes (Slave)			
Communication protocols (field-side)	IEC 60870-5-104 ② IEC 61850 ③	Yes (Master) Yes (Client + Publisher/Subscriber for GOOSE)			
Time synchronisation	SNTP / NTP (or from DNP3 / IEC 60870-5 protocol)	Selectable from suitable (S)NTP server (GPS, GLONASS, Radio clock sourced) or via the DNP3 or IEC 60870 protocols			
Store and forward	Yes	<ul style="list-style-type: none"> RTU samples and stores data locally when communication channel to SCADA host is interrupted and transmits this stored data when the channel is restored User configurable store and forward buffer size 			
Fieldbus support	Bus Technology	smartRTU – FX	smartRTU – L	smartRTU – Q	
	Profibus-DP	Master	X	X	X
		Slave	X		X
	Modbus/TCP	Master			X
		Slave			X
	Modbus/RTU (serial)	Master	X		X
		Slave	X		X
	DeviceNET	Master			X
		Slave	X		X
	CC-Link	Master	X	X	X
Slave		X	X	X	
CC-Link IE field	Master		X	X	
	Slave		X	X	
CANopen	Master	X			
	Slave	X			

- ① External router required
- ② IEC 60870-5-104 Master available in next Version
- ③ IEC 61850 available in an upcoming Version

For more information contact your local customer technology centre

European Offices

Mitsubishi Electric Europe B.V. Gothaer Straße 8 D-40880 Ratingen Phone: +49 (0)2102 / 486-0	Germany	Mitsubishi Electric Europe B.V. 52, bld. 3 Kosmodamianskaya nab 8 floor RU-115054 Moscow Phone: +7 495 / 721 2070	Russia
Mitsubishi Electric Europe B.V. Radlická 751/13e Avenir Business Park CZ-158 00 Praha 5 Phone: +420 251 551 470	Czech Rep.	Mitsubishi Electric Europe B.V. Carretera de Rubí 76-80 Apdo. 420 E-08190 Sant Cugat del Valles (Barcelona) Phone: +34 (0) 93 / 5653131	Spain
Mitsubishi Electric Europe B.V. 25, Boulevard des Bouvets F-92741 Nanterre Cedex Phone: +33 (0)1 / 55 68 55 68	France	Mitsubishi Electric Scandinavia Fjellvegen 8 SE-22736 Lund Phone: +46 (0) 8 625 10 00	Sweden
Mitsubishi Electric Europe B.V. Viale Colonna 7 Palazzo Sirio I-20864 Agrate Brianza (MB) Phone: +39 039 / 60 53 1	Italy	Mitsubishi Electric Türkiye Serifali Mahallesi Nutuk Sokak No:5 TR-34775 Ümraniye-İSTANBUL Phone: +90 (0)216 / 526 39 90	Turkey
Mitsubishi Electric Europe B.V. Westgate Business Park, Ballymount IRL-Dublin 24 Phone: +353 (0)1 4198800	Ireland	Mitsubishi Electric Europe B.V. Travellers Lane UK-Hatfield, Herts. AL10 8XB Phone: +44 (0)1707 / 28 87 80	UK
Mitsubishi Electric Europe B.V. ul. Krakowska 50 PL-32-083 Balice Phone: +48 (0) 12 630 47 00	Poland	Mitsubishi Electric Europe B.V. Dubai Silicon Oasis United Arab Emirates - Dubai Phone: +971 4 3724716	UAE

Representatives

GEVA Wiener Straße 89 A-2500 Baden Phone: +43 (0)2252 / 85 55 20	Austria	Beijer Electronics A/S Lykkegardsvej 17 DK-4000 Roskilde Phone: +45 (0)46 / 75 76 66	Denmark	Beijer Electronics SIA Ritaušmas iela 23 LV-1058 Rīga Phone: +371 (0)6 / 784 2280	Latvia	Sirius Trading & Services Aleea Lacul Morii Nr. 3 RO-060841 Bucuresti, Sector 6 Phone: +40 (0)21 / 430 40 06	Romania	I.C. SYSTEMS Ltd. 23 Al-Saad-Al-Alee St. EG-Sarayut, Maadi, Cairo Phone: +20 (0) 2 / 235 98 548	Egypt
OOO TECHNIKON Prospect Nezavisimosti 177-9 BY-220125 Minsk Phone: +375 (0)17 / 393 1177	Belarus	HANS FOLSGAARD A/S DK-4600 Køge Phone: +45 4320 8600	Denmark	Beijer Electronics UAB Telšgaardu Torv 1 LT-48324 Kaunas Phone: +370 37 262707	Lithuania	INEA SR Izletnicka 10 SER-113000 Smederevo Phone: +381 (0)26 / 615 401	Serbia	GIRIT CELADON Ltd. 12 Haomanut Street IL-42505 Netanya Phone: +972 (0)9 / 863 39 80	Israel
ESCO DRIVES Culliganlaan 3 BE-1831 Diegem Phone: +32 (0)2 / 717 64 60	Belgium	Beijer Electronics Eesti OÜ Pärnu mnt.160i EE-11317 Tallinn Phone: +372 (0)6 / 51 81 40	Estonia	ALFATRADE Ltd. 99, Paola Hill Malta-Paola PLA 1702 Phone: +356 (0)21 / 697 816	Malta	SIMAP s.r.o. Jána Derku 1671 SK-911 01 Trenčín Phone: +41 (0)32 743 0472	Slovakia	CEG LIBAN Cebaco Center/Block A Autostrade DORA Lebanon-Beirut Phone: +961 (0)1 / 240 445	Lebanon
KONING & HARTMAN B.V. Woluwelaan 31 BE-1800 Vilvoorde Phone: +32 (0)2 / 257 02 40	Belgium	Beijer Electronics OY Vanha Nurmijärventie 62 FIN-01670 Vantaa Phone: +358 (0)207 / 463 500	Finland	INTEHISIS SRL bld. Traian 23/1 MD-2060 Kishinev Phone: +373 (0)22 / 66 4242	Moldova	INEA RBT d.o.o. Stegne 11 SI-1000 Ljubljana Phone: +386 (0)11 / 513 8116	Slovenia	ADROIT TECHNOLOGIES 20 Waterford Office Park 189 Witkoppen Road ZA-Fourways Phone: +27 (0)11 / 658 8100	South Africa
INEA RBT d.o.o. Stegne 11 SI-1000 Ljubljana Phone: +386 (0)1 / 513 8116	Bosnia and Herzeg.	PROVENDOR OY Teljänkatu 8 A3 FIN-28130 Pori Phone: +358 (0)1 / 522 3300	Finland	HIFLEX AUTOM. B.V. Wolwevestraat 22 NL-2984 CD Ridderkerk Phone: +31 (0)180 / 46 60 04	Netherlands	Beijer Electronics Automation AB Box 426 SE-20124 Malmö Phone: +46 (0)40 / 35 86 00	Sweden		
AKHNATON 4, Andrei Lipachev Blvd, P.O. Box 21 BG-1756 Sofia Phone: +359 (0)2 / 817 6000	Bulgaria	UTECO A.B.E.E. 5, Mavrogenous Str. GR-18542 Piraeus Phone: +359 (0)211 / 1206-900	Greece	KONING & HARTMAN B.V. Haarlerbergweg 21-23 NL-1101 CH Amsterdam Phone: +31 (0)20 / 587 76 00	Netherlands	OMNI RAY AG Im Schörlis 5 CH-8600 Dübendorf Phone: +41 (0)44 / 802 28 80	Switzerland		
INEA CR Losinjka 4 a HR-10000 Zagreb Phone: +385 (0)1 / 36 940 - 017 - 02 / -03	Croatia	MELTRADE Kft. Fertő utca 14. HU-1107 Budapest Phone: +36 (0)1 / 431-9726	Hungary	Beijer Electronics AS Postboks 487 NO-3002 Drammen Phone: +47 (0)32 / 24 30 00	Norway	OOO "CSC-AUTOMATION" 4-B, M. Raskovoy St. UA-02660 Kiev Phone: +380 (0)44 / 494 33 44	Ukraine		
AutoCont C.S. S.R.O. Kafkova 1853/3 CZ-702 00 Ostrava 2 Phone: +420 595 691 150	Czech Republic	TOO Kazpromavtomatika Ul. Zhambyla 28 KAZ-100017 Karaganda Phone: +7 7212 / 50 10 00	Kazakhstan	Fonseca S.A. R. João Francisco do Casal 87/89 PT-3801-997 Aveiro, Esqueira Phone: +351 (0)234 / 303 900	Portugal				



Mitsubishi Electric Europe B.V. / FA - European Business Group / Gothaer Straße 8 / D-40880 Ratingen / Germany / Tel.: +49(0)2102-4860 / Fax: +49(0)2102-4861120 / info@mitsubishi-automation.com / https://eu3a.mitsubishielectric.com

Art. no. 258445-A / 11.2013 / Specifications subject to change / All trademarks and copyrights acknowledged.

